




## KMH label holder (halogen-free)





### Product information

Halogen-free label holders for wire, cable and conduit labels. KMH label holders accommodate BK idents and type KS as well as type KSO labels.

- Assembly with cable ties

### Information, conformities and approvals



Article	Order No.	Color	Length mm (A)	Width mm (B)	Diameter min. mm (C)	Cable ties max. width mm	Recommended Label	No. Idents BK23 / BK30	PU pcs.
Labelling lengthwise to the cable/the conduit, single line of print									
KMH 4/23	86221010	Transparent	23	4	5	5	KS 4/x	10 / 7	1000
Labelling lengthwise to the cable/the conduit, one or more lines of print									
KMH 9/20	86221012	Transparent	20	9	10	5	KSO 20x9		1000
KMH 9/35	86221016	Transparent	35	9	10	5	KSO 35x9		500
Pre-assembled label holder, equipped with KB 55 cable ties									
KKMH 4/23	86221050	Transparent	23	4	5	5	KS 4/x	10 / 7	250

### Material properties



EVA II

### Thermal properties



Temperature / temperature range -40 °C – 60 °C / short term: 65 °C



## KMH label holder (halogen-free)

### Fire properties



Fire classificationHB

### Technical information



Halogen-free

### Classification



ETIM 9: EC001530 || eClass 14: 27281102 || UNSPSC: 39131504 ||

### General technical data



Assembly method0010000000000

### Assembly method



Cable tie system with sleeves