




KSK (universal adhesive label)



Product information

KSK type (universal adhesive label) - for devices by various manufacturers.
High-quality, halogen-free adhesive label plates.
The large printable area at the top provides space for individual project and component reference, without the need to organize additional systems.
The flat construction allows the label holder to be used as a device location marker inside the top hat rail.

Information, conformities and approvals



Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KSK 5x15	86421092	White	9016	5 x 15	5 x 15	8 / 1	64	GP4 Single tree adapter 4	438	1024
KSK 5x15	86421094	Yellow	1018	5 x 15	5 x 15	8 / 1	64	GP4 Single tree adapter 4	495	1024
KSK 6x15	86421093	White	9016	6 x 15	6 x 15	8 / 1	64	GP4 Single tree adapter 4	439	1024
KSK 6x15	86421095	Yellow	1018	6 x 15	6 x 15	8 / 1	64	GP4 Single tree adapter 4	497	1024
KSK 11x9	86421034	White	9016	9 x 11	9 x 11	6 / 2	44	GP4	61	1400
KSK 11x9	86421035	Yellow	1018	9 x 11	9 x 11	6 / 2	44	GP4	61G	1400
KSK 11x9	86421039	Red	2012	9 x 11	9 x 11	6 / 2	44	GP4	61R	1400
KSK 15x9	86421036	White	9016	9 x 15	9 x 15	8 / 2	44	GP4	63	1400
KSK 15x9	86421037	Yellow	1018	9 x 15	9 x 15	8 / 2	44	GP4	63G	1400
KSK 15x9	86421041	Red	2012	9 x 15	9 x 15	8 / 2	44	GP4	63R	1400
KSK 15/49	86421246	White	9016	15 x 49	15 x 49	27 / 4	8	GP4	86	240
KSK 35x9	86421045	White	9016	9 x 35	9 x 35	19 / 2	12	GP4	58W	360
KSK 35x9	86421047	Yellow	1018	9 x 35	9 x 35	19 / 2	12	GP4	58G	360



KSK (universal adhesive label)

Article	Order No.	Color	RAL similar	Label size * mm	Printable area* mm	Number of characters / lines	Quantity per frame	Base plate	Software Article	PU pcs.
KSK 35x9	86421049	Red	2012	9 x 35	9 x 35	19 / 2	12	GP4	58R	360
KSK 70x9	86421051	White	9016	9 x 70	9 x 70	38 / 2	11	GP5 Single tree adapter 5	57W	330
KSK 70x9	86421053	Yellow	1018	9 x 70	9 x 70	38 / 2	11	GP5 Single tree adapter 5	57G	330
KSK 70x9	86421055	Red	2012	9 x 70	9 x 70	38 / 2	11	GP5 Single tree adapter 5	57R	330
No information about packing unit (VPE). Request a quotation for minimum order quantity please.										
KSK 5x15	86421096	Red	2012	5 x 15	5 x 15	8 / 1	64	GP4 Single tree adapter 4	496	1024
KSK 6x15	86421097	Red	2012	6 x 15	6 x 15	8 / 1	64	GP4 Single tree adapter 4	498	1024
Long mat version										
KSK 20x9 L	86421240	White	9016	9 x 20	9 x 20	11 / 2	20	GP4 Single tree adapter 4	554	640
KSK 20x9 L	86421242	Yellow	1018	9 x 20	9 x 20	11 / 2	20	GP4 Single tree adapter 4	555	640
KSK 20x9 L	86421244	Red	2012	9 x 20	9 x 20	11 / 2	20	GP4 Single tree adapter 4	556	640

Material properties



Polycarbonate (PC) II

Adhesive properties



468Adhesive

Thermal properties



Temperature / temperature range -40 °C – 130 °C

Fire properties



Fire classificationV0

Technical information



Halogen-free



KSK (universal adhesive label)

Classification



ETIM 9: EC001288 || eClass 14: 27144009 || UNSPSC: 39131504 ||

General technical data



Assembly method0000000100000

Assembly method



Adhesive system

Labelling technology



Plotter



Laser



Inkjet