





## KSO label plate



### Product information

High-quality, halogen-free, universal label plate for single-line and multi-line inscription.

- Available in different lengths
- Available in different colors

Large header labeling area

The KSO label is mounted on cables, cords or conduits with KT series sleeves or the KM, KMH, KMH/Q carriers.

With the 9 mm wide BZS rails, the labels can also be used as device location labeling.

### Information, conformities and approvals



Article	Order No.	Color	RAL equiv.	Label size mm (B x A)	Printable area (mm)	Number of characters / lines	Quantity per frame	Software Article	Base plate	PU pcs.
---------	-----------	-------	------------	-----------------------	---------------------	------------------------------	--------------------	------------------	------------	---------

#### Label length 11 mm

KSO 11x9	86421024	White	9016	9 x 11	9 x 11	6 / 2	44	60	GP4	1400
KSO 11x9	86421013	Yellow	1018	9 x 11	9 x 11	6 / 2	44	60G	GP4	1400
KSO 11x9	86421015	Red	2012	9 x 11	9 x 11	6 / 2	44	60R	GP4	1400

#### Label length 15 mm

KSO 15x9	86421026	White	9016	9 x 15	9 x 15	8 / 2	44	62	GP4	1400
KSO 15x9	86421027	Yellow	1018	9 x 15	9 x 15	8 / 2	44	62G	GP4	1400
KSO 15x9	86421019	Red	2012	9 x 15	9 x 15	8 / 2	44	62R	GP4	1400

#### Label length 20 mm, long mat design

KSO 20x9L	86421230	White	9016	9 x 20	9 x 20	11 / 2	20	551	GP4 Single tree adapter 4	640
KSO 20x9L	86421232	Yellow	1018	9 x 20	9 x 20	11 / 2	20	552	GP4 Single tree adapter 4	640
KSO 20x9L	86421234	Red	2012	9 x 20	9 x 20	11 / 2	20	553	GP4 Single tree adapter 4	640



## KSO label plate

Article	Order No.	Color	RAL equiv.	Label size mm (B x A)	Printable area (mm)	Number of characters / lines	Quantity per frame	Software Article	Base plate	PU pcs.
<b>Label length 35 mm</b>										
KSO 35x9	86421064	White	9016	9 x 35	9 x 35	19 / 2	12	69W	GP4 Single tree adapter 4	360
KSO 35x9 2x2,5mm	86421068	White	9016	9 x 35	9 x 35	19 / 2	12	303	GP4 Single tree adapter 4	360
KSO 35x9	86421065	Yellow	1018	9 x 35	9 x 35	19 / 2	12	69G	GP4 Single tree adapter 4	360
KSO 35x9	86421066	Red	2012	9 x 35	9 x 35	19 / 2	12	69R	GP4 Single tree adapter 4	360
<b>Label length 70 mm</b>										
KSO 70x9	86421082	White	9016	9 x 70	9 x 70	38 / 2	11	280	GP5 Single tree adapter 5	330
KSO 70x9	86421083	Yellow	1018	9 x 70	9 x 70	38 / 2	11	282	GP5 Single tree adapter 5	330
KSO 70x9	86421084	Red	2012	9 x 70	9 x 70	38 / 2	11	281	GP5 Single tree adapter 5	330

### Material properties



Polycarbonate (PC) ||

### Thermal properties



Temperature / temperature range -40 °C - 130 °C

### Fire properties



Fire classification VO

### Technical information



Halogen-free

### Classification



ETIM 9: EC001530 || eClass 14: 27281102 || UNSPSC: 39131504 ||



## KSO label plate

### General technical data



Assembly method 001000000000

### Assembly method



Cable tie system with sleeves

### Labelling technology



Plotter



Laser



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.