



ELW / ELG / ELPT - self-adhesive label



Product information

Self-adhesive polyester labels on an A4 sheet, available in the colours white, yellow and pastel turquoise.

Easy handling because of the lock tabs. Clear positioning by labeling columns and lines.

Information, conformities and approvals











Article	Order No.	Color	RAL similar	Sheet size mm	Printable area mm	No. columns	No. per sheet	Software Article	PU pcs.
Labels on A4 s	heet, self-adhesiv	re, white							
ELW 11x9R	86561224	White	9016	11 x 9	11 x 9	16	400	95	4000
ELW 15x6R	86561228	White	9016	15 x 6	15 x 6	11	374	88L	3740
ELW 19x6R	86561220	White	9016	19 x 6	19 x 6	9	306	97	3060
ELW 19x8R	86561222	White	9016	19 x 8	19 x 8	10	270	99	2700
° Standard pro	duct, available fro	om stock							
ELW 64x34R	86561226	White	9016	64 x 34	64 x 34	3	24	93	240
Labels on A4 s	heet, self-adhesiv	re, yellow							
ELG 11x9R	86562018	Yellow	1018	11 x 9	11 x 9	16	400	94	4000
ELG 15x6R	86562022	Yellow	1018	15 x 6	15 x 6	11	374	082	3740
ELG 19x6R	86562014	Yellow	1018	19 x 6	19 x 6	9	306	96	3060
ELG 19x8R	86562016	Yellow	1018	19 x 8	19 x 8	10	270	98	2700
ELG 64x34R	86562020	Yellow	1018	64 x 34	64 x 34	3	24	R91	240

 $@ {\it Murrplastik System technik GmbH } \bullet \\$ as of 2025-01-10 - 178087





ELW / ELG / ELPT - self-adhesive label

Article	Order No.	Color	RAL similar	Sheet size mm	Printable area mm	No. columns	No. per sheet	Software Article	PU pcs.
Labels on A4 she	eet, self-adhesive,	pastel turquoise							
ELPT 19x6	86561820	Pastel turquoise	6034	19 x 6	19 x 6	9	306	110	3060

Material properties



Polyester film ||

Adhesive properties



4883Adhesive

Thermal properties



Temperature / temperature range -40 °C - 150 °C

Fire properties



Fire classificationV0

Classification



ETIM 9: EC001288 || eClass 14: 27144009 || UNSPSC: 39131504 ||

General technical data



Assembly method0000000100000

Assembly method



Adhesive system

Labelling technology



Plotter





ELW / ELG / ELPT - self-adhesive label

Labelling technology



Laser printer



Inkjet

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.