






DMG Rectangular with radius



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm

Information, conformities and approvals



| Article | Order No. | Color | Label size mm | Material thickness mm | Quantity per mat | Software Article | PU pcs. |
|--|------------|----------------|---------------|-----------------------|------------------|------------------|---------|
| Corner radius 1 mm; with adhesive foil | | | | | | | |
| DMG 27x15 R1 HF | 8602106001 | White / Black | 27 x 15 | 1.5 | 110 | E30 | 110 |
| Corner radius 2 mm; with self-adhesive foil | | | | | | | |
| DMG° 27x19 R2 SK | 8602100030 | Silver / Black | 27 x 19 | 0.8 | 90 | 588 | 90 |

Adhesive properties



4675016SK adhesive film with adhesiveSKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range -30 °C – 80 °C

Classification



ETIM 9: EC001288 || eClass 14: 27144009 || UNSPSC: 39131504 ||



DMG Rectangular with radius

General technical data



Assembly method 00000001 Label glued into place 00000

Assembly method



Adhesive system

Labelling technology



Plotter



Engraving