





DMG Rectangular without radius, 2x hole



Product information

- Duomatt is a double-layer material with an UV resistant colored outer layer for marking with a Murrplastik engraving or plotter system.
- Available in various color combinations
- Three different carrier materials available
- Different geometries and holes
- UV resistant outer layer
- Material thickness 0.8 mm

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
Without corner radius; with self-adhesive foil								
DMG 100x40 SK, 2x3.5MM 1)	8602220002	White / Black	100 x 40	2x 3.5	1.5	15	678	15
DMG° 100x40 SK, 2x2.8MM 1)	8602220001	White / Black	100 x 40	2x 2.8	0.8	15	679	15
Without corner radius; with adhesive foil								
DMG 100x47 HF, 2x3.2MM 1)	8602226003	Siemens silver / Black	100 x 47	2x 3.2	0.8	12	62	12
DMG 100x50 HF, 2x2.6MM 1)	8602226001	Siemens silver / Black	100 x 50	2x 2.6	1.5	12	11	12
DMG 24x60 HF, 2x4,2MM 1)	8602226013	Siemens silver / Black	24 x 60	2x 4.2	0.8	36	Z52	36
DMG 275x60 HF, 2x3,5MM 1)	8602226014	White / Black	275 x 60	2x 3.5	1.5	3	Z94	3
DMG 42x18 HF, 2x2,0MM 1)	8602226011	Blue / White	42 x 18	2x 2.0	0.8	70	M53	420
DMG 50x20 HF, 2x3,0MM 1)	8602226010	White / Black	50 x 20	2x 3.0	1.5	45	M50	45
DMG 50x20 HF, 2x3,5MM 1)	8602226007	White / Black	50 x 20	2x 3.5	1.5	45	M37	45
DMG 60x24 HF, 2x4,2MM 1)	8602226012	Siemens silver / Black	60 x 24	2x 4.2	0.8	32	Z49	32



DMG Rectangular without radius, 2x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Material thickness mm	Quantity per mat	Software Article	PU pcs.
DMG 70x25 HF, 2x3,0MM 1)	8602226009	White / Black	70 x 25	2x 3.0	1.5	28	M49	28
DMG 70x25 HF, 2x3,5MM 1)	8602226008	White / Black	70 x 25	2x 3.5	1.5	28	M38	28
DMG 75x100 HF, 2x3,5MM 1)	8602226002	Yellow / Black	75 x 100	2x 3.5	1.5	12	5Y	8
	8602226015	Gray / White	99.5 x 9.5	2x 3.5	1.5		A5L	60
DMG 100x10 HF, 2x3,5MM 1)	8602226006	Green / White	99.5 x 9.5	2x 3.5	1.5	38	H69	60
DMG 100x10 HF, 2x3,5MM 1)	8602226005	Orange / White	99.5 x 9.5	2x 3.5	1.5	38	D63	60
DMG 100x10 HF, 2x3,5MM 1)	8602226004	Siemens silver / Black	99.5 x 9.5	2x 3.5	1.5	38	D62	60
Without corner radius; with high-strength adhesive foam foil								
DMG 250x50 SKS, 2x4,0MM 1)	8602222001	White / Black	250 x 50	2x 4.0	1.5	3	M88	3

1) Other sizes available on request

Adhesive properties



4675016SK adhesive film with adhesiveSKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range -30 °C – 80 °C

Classification



ETIM 9: EC001288 || eClass 14: 27144009 || UNSPSC: 39131504 ||

General technical data



Assembly method 00000001 Label glued into place 00000

Assembly method



Adhesive system



DMG Rectangular without radius, 2x hole

Labelling technology



Plotter



Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.