




## ALU Rectangular with radius, 1x hole



### Product information

The ALU labeling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

### Information, conformities and approvals



Article	Order No.	Color	Label size mm	Number x Holes mm	Ma- terial thick- ness mm	Quantity per mat	Software Article	PU pcs.
<b>Corner radius 2 mm; with adhesive foil</b>								
ALU 15x15 R2 HF, 1x3,5MM <sup>1)</sup>	8604116008	Silver anodized	15 x 15	1x 3.5	1	260	6X	260
ALU 27x12,5 R2 HF, 1x2,5MM <sup>1)</sup>	8604116005	Silver anodized	27 x 12,5	1x 2,5	1	176	92I	176
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116019	Black anodized	30 x 10	1x 5,0	1	200	K70	200
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116018	Green anodized	30 x 10	1x 5,0	1	200	K69	200
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116017	Blue anodized	30 x 10	1x 5,0	1	200	K68	200
ALU 30x55 R2 HF, 1x22,6MM <sup>1)</sup>	8604116004	Silver anodized	30 x 55	1x 22,6	1	30	076	30
ALU 35x15 R2 HF, 1x2,5MM <sup>1)</sup>	8604116021	Silver anodized	35 x 15	1x 2,5	1	104	A8I	104
ALU 52x18 R2 HF, 1x2,5MM <sup>1)</sup>	8604116009	Black anodized	52 x 18	1x 2,5	1	55	A30	55
<b>Corner radius 7 mm; with adhesive foil</b>								
ALU 20x20 R7 HF, 1x2,2MM <sup>1)</sup>	8604116003	Silver anodized	20 x 20	1x 2,2	1	150	062	150





## ALU Rectangular with radius, 1x hole

Article	Order No.	Color	Label size mm	Number x Holes mm	Ma- terial thick- ness mm	Quantity per mat	Software Article	PU pcs.
ALU° 20x20 R7 HF, 1x2,5MM <sup>1)</sup>	8604296000	Black anodized	20 x 20	1x 2.5	1	150	845	150
ALU 20x20 R7 HF, 1x2,5MM <sup>1)</sup>	8604116001	Silver anodized	20 x 20	1x 2.5	1	150	066	150
<b>Corner radius 12 mm; with adhesive foil</b>								
ALU 20x20 R12 HF, 1x2,5MM <sup>1)</sup>	8604226014	Black anodized	20 x 20	1x 2.5	1	150	437	150
ALU 30x30 R12 HF, 1x3,2MM <sup>1)</sup>	8604116007	Silver anodized	30 x 30	1x 3.2	1	60	31	60
<b>Corner radius 0.5 mm; with adhesive foil</b>								
ALU 25x17,5 R0,5 HF, 1x2,8MM <sup>1)</sup>	8604116016	Black anodized	25 x 17,5	1x 2.8	1	132	J51	132
<b>Corner radius 9 mm; with adhesive foil</b>								
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116015	Yellow anodized	25 x 25	1x 3.0	1	96	J39	96
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116014	Red anodized	25 x 25	1x 3.0	1	96	J38	96
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116011	Green anodized	25 x 25	1x 3.0	1	96	H27	96
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116010	Blue anodized	25 x 25	1x 3.0	1	96	H26	96
ALU 25x25 R9 HF, 1x3,2MM <sup>1)</sup>	8604296001	Black anodized	25 x 25	1x 3.2	1	96	01	96
ALU 25x25 R9 HF, 1x4,2MM <sup>1)</sup>	8604116000	Silver anodized	25 x 25	1x 4.2	1	96	863	96
ALU 25x25 R9 HF, 1x4,5MM <sup>1)</sup>	8604116006	Black anodized	25 x 25	1x 4.5	1	96	1G	96
<b>Corner radius 2 mm; with self-adhesive foil</b>								
ALU 27x18 R2 SK, 1x3,5MM <sup>1)</sup>	8604110000	Silver anodized	27 x 18	1x 3.5	1	121	411	121
<b>Corner radius 5 mm; with adhesive foil</b>								
ALU 30x10 R5 HF, 1x4,0MM <sup>1)</sup>	8604116012	Black anodized	30 x 10	1x 4.0	1	200	H75	200
<sup>1)</sup> Other sizes available on request								



## ALU Rectangular with radius, 1x hole

### Engraving material Dimension table




Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
<b>Corner radius 2 mm; with adhesive foil</b>			
ALU 15x15 R2 HF, 1x3,5MM <sup>1)</sup>	8604116008	7.5	11.5
ALU 27x12,5 R2 HF, 1x2,5MM <sup>1)</sup>	8604116005	23.75	6.25
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116019	24	5
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116018	24	5
ALU 30x10 R2 HF, 1x5MM <sup>1)</sup>	8604116017	24	5
ALU 30x55 R2 HF, 1x22,6MM <sup>1)</sup>	8604116004	15	15
ALU 35x15 R2 HF, 1x2,5MM <sup>1)</sup>	8604116021	3.25	7.5
ALU 52x18 R2 HF, 1x2,5MM <sup>1)</sup>	8604116009	26	14.3
<b>Corner radius 7 mm; with adhesive foil</b>			
ALU 20x20 R7 HF, 1x2,2MM <sup>1)</sup>	8604116003	10	3
ALU° 20x20 R7 HF, 1x2,5MM <sup>1)</sup>	8604296000	10	3
ALU 20x20 R7 HF, 1x2,5MM <sup>1)</sup>	8604116001	10	17
<b>Corner radius 12 mm; with adhesive foil</b>			
ALU 20x20 R12 HF, 1x2,5MM <sup>1)</sup>	8604226014	10	10
ALU 30x30 R12 HF, 1x3,2MM <sup>1)</sup>	8604116007	15	3
<b>Corner radius 0.5 mm; with adhesive foil</b>			
ALU 25X17,5 R0,5 HF, 1x2,8MM <sup>1)</sup>	8604116016	12.5	14
<b>Corner radius 9 mm; with adhesive foil</b>			
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116015	12.5	20.5
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116014	12.5	20.5



## ALU Rectangular with radius, 1x hole

### Engraving material Dimension table



Article	Order No.	Drill hole position X1 mm	Drill hole position Y1 mm
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116011	12.5	20.5
ALU 25x25 R9 HF, 1x3,0MM <sup>1)</sup>	8604116010	12.5	20.5
ALU 25x25 R9 HF, 1x3,2MM <sup>1)</sup>	8604296001	12.5	21
ALU 25x25 R9 HF, 1x4,2MM <sup>1)</sup>	8604116000	12.5	21
ALU 25x25 R9 HF, 1x4,5MM <sup>1)</sup>	8604116006	12.5	21
<b>Corner radius 2 mm; with self-adhesive foil</b>			
ALU 27x18 R2 SK, 1x3,5MM <sup>1)</sup>	8604110000	13.5	3.5
<b>Corner radius 5 mm; with adhesive foil</b>			
ALU 30x10 R5 HF, 1x4,0MM <sup>1)</sup>	8604116012	5	5
<sup>1)</sup> Other sizes available on request			

### Material properties



Aluminium anodised (ALU) |

### Adhesive properties



467 SK adhesive film with adhesive

### Thermal properties



Temperature / temperature range -40 °C – 140 °C

### Fire properties



Fire classification V0



## ALU Rectangular with radius, 1x hole

### General technical data

 Single-line and multi-line labelling

### Assembly method

 Adhesive system

 Screw system

### Labelling technology

 Engraving

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.