


R-Tec Box



Product information

With their R-Tec Box design, Murrplastik has succeeded in creating a new system for optimum management of energy packages from axis 3 to axis 6 of industrial robots. In this specially designed housing with the unique, integrated spring return system, the energy packet is transported safely and effectively in a low-wear manner within the smallest space.

Information, conformities and approvals



Article	Order No.	Color	A mm	B mm	C mm	Stroke mm	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
R-Tec Box-S EW 29 MP - 35N	83692693	Black	507	285	110	270	M32/P29		1
R-Tec Box-S EWX 29 MP - 35N	83692695	Black	507	285	110	270		M32/P29	1
R-Tec Box-S EW 36 MP - 35N	83692696	Black	507	285	110	270	M40/P36		1
R-Tec Box-S EWX 36 MP - 35N	83692697	Black	507	285	110	270		M40/P36	1
R-Tec Box EW 36 MP - 80N	83692650	Black	730	343	138	400	M40/P36		1
R-Tec Box EWX 36 MP - 80N	83692652	Black	730	343	138	400		M40/P36	1
R-Tec Box EW 48 MP - 100N	83692654	Black	730	343	138	400	M50/P48		1
R-Tec Box EWX 48 MP - 100N	83692656	Black	730	343	138	400		M50/P48	1
R-Tec Box EWX 48- KB MP - 100N ¹⁾	83692633	Black	730	343	138	400		M50/P48	1
R-Tec Box EW 48 MP - 120N	83692664	Black	730	343	138	400	M50/P48		1
R-Tec Box EWX 48 MP - 120N	83692665	Black	730	343	138	400		M50/P48	1
R-Tec Box EW/EWX 56 MP - 200N	83692658	Black	937.5	430	176	600	56 Jumbo	56 Jumbo	1
R-Tec Box EW/EWX 70 MP - 200N	83692660	Black	937.5	430	176	600	70 Jumbo	70 Jumbo	1

R-Tec Box

Article	Order No.	Color	A mm	B mm	C mm	Stroke mm	Suitable for EW-PAE	Suitable for EWX-PAE	PU pcs.
R-Tec Box EW/EWX 70-KB MP - 200N 1) 1) with strain relief V-ZLT-70KB	83692662	Black	937.5	430	176	600	70 Jumbo	70 Jumbo	1

Material properties



mod. polypropylene II

Thermal properties



Temperature / temperature range -40 °C – 140 °C / short term: 160 °C

Fire properties



Fire classification acc. to UL94: HB

Technical information



Halogen-free

Conformity



RoHS (EC Directive 2011/65/EU)

Approvals and operating permits



ROBI approval

Classification



ETIM 9: EC010745 || eClass 14: 27439090 || UNSPSC: 40141764 ||

General information



Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described. The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described. A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information. All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge. They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose. Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information. Murrplastik accepts no liability for damage caused as a result of using our products. Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services. Our General Terms and Conditions apply.