



LAM Rectangular without radius




Product information

Laser Alumatt consists of coated aluminum, suitable for laser engraving. The surface is coated for laser engraving.

After laser marking with a Murrplastik mp-LM series laser marking system the engraving appears in black. Available in a material thickness of 0.5 mm or 1.0 mm.

A suction and filter unit is absolutely necessary to comply with legal regulations on health protection.

Information, conformities and approvals



Article	Order No.	Color	Material thickness mm	Printable area mm	No. characters/ lines	No. per Frame	Base plate	Software Article	PU pcs.
---------	-----------	-------	-----------------------	-------------------	-----------------------	---------------	------------	------------------	---------

Rectangular design

LAM 100x120 HF	8610140299	Red	1	100 x 120	55 / 35	1		NV6	4
LAM 110x100 HF	8610140298	Yellow matte	1	110 x 100	61 / 29	1		NU9	4
LAM 120x120 HF	8610140322	Red	1	120 x 120	66 / 35	1		OF9	4
LAM 30x15 SK	8610140295	Silver	1	30 x 15	16 / 4	18		NT7	72
LAM 30x15 SKS	8610140402	Silver	1	30 x 15	16 / 4	18		OYG	72
LAM 34x22 SK	8610140296	Silver	1	34 x 22	18 / 6	12		NT8	48
LAM 40x15 SKS	8610140397	Silver	1	40 x 15	22 / 4	12		OYB	48
LAM 45x15 SKS	8610140399	Silver	1	45 x 15	25 / 4	12		OYD	48
LAM 80x27 SKS	8610140315	Silver	0.5	80 x 27	44 / 7	3		OB8	12
LAM 83x55 SKS	8610140314	Silver	0.5	83 x 55	46 / 16	1		OB7	4
	8610140338	Silver	0.5	84 x 54	46 / 15	2		ON7	8



LAM Rectangular without radius

Article	Order No.	Color	Material thickness mm	Printable area mm	No. characters/ lines	No. per Frame	Base plate	Software Article	PU pcs.
LAM 120x59 SI SKS	8610140420	Silver	0.5	120 x 59	66 / 17	2		PA8	8
LAM 30x12 SK	8610140428	Silver	0.5	30 x 12	16 / 3	24	mp-LM carrier platePB1 Premium		96
LAM 10x120 HF	8610140254	Silver	1	10 x 120	5 / 35	10		NF1	40
LAM 12x12 SK	8610140093	Silver	0.5	12 x 12	6 / 3	64		L2K	256
LAM 20x9 SKS	8610140222	Silver	0.5	20 x 9	11 / 2	50		MVO	200
LAM 22x14 SKS	8610140205	Silver	1	22 x 14	12 / 4	28		MR3	112
LAM 26,8x18 HF	8610140112	Silver	0.5	26.8 x 18	14 / 5	20		L3S	80
LAM 27x15 SKS	8610140272	Silver	1	27 x 15	15 / 4	18		NK8	72
LAM 27x18 SK	8610140130	Silver	0.5	27 x 18	15 / 5	15		L5N	60
LAM 27x18 SKS	8610140251	Silver	0.5	27 x 18	15 / 5	15		NE5	60
LAM 29x8 SK	8610140145	Silver	1	29 x 8	16 / 2	33		L7N	132
LAM 40x15 SK	8610140176	Silver	1	40 x 15	22 / 4	12		MF4	48
LAM 40x20 SK	8610140175	Silver	1	40 x 20	22 / 5	10		MF3	40
LAM 40x40 SK	8610140174	Silver	1	40 x 40	22 / 11	4		MF2	16
LAM 40x50 SK	8610140173	Silver	1	40 x 50	22 / 14	4		MF1	16
LAM 50x13 SK	8610140161	Silver	1	50 x 13	27 / 3	14		L9X	56
LAM 50x20 SK	8610140113	Silver	0.5	50 x 20	27 / 5	10		L3T	40
LAM 52x37 SKS	8610140256	Silver	0.5	52 x 37	28 / 10	4		NG3	16
LAM 60x50 HF	8610140253	Silver	1	60 x 50	33 / 14	2		NFO	8
LAM 74x37 SK	8610140162	Silver	1	74 x 37	41 / 10	2		L9Y	8
LAM 83x55 HF	8610140077	Silver	0.5	83 x 55	46 / 16	2		LX7	8
LAM 90x90 HF	8610140184	Silver	1	90 x 90	50 / 26	1		MI6	4
LAM 95x60 SK	8610140265	Silver	0.5	95 x 60	52 / 17	1		NI7	4
LAM° 105x74 SK	8610140029	Silver	0.5	105 x 74	58 / 21	1		LG2	4
LAM 110x80 SK	8610140266	Silver	0.5	110 x 80	61 / 23	1		NI8	4



LAM Rectangular without radius

Article	Order No.	Color	Material thickness mm	Printable area mm	No. characters/ lines	No. per Frame	Base plate	Software Article	PU pcs.
LAM 111x55 SKS	8610140083	Silver	0.5	111 x 55	61 / 16	2		L0R	8
LAM 120x120 HF	8610140064	Silver	0.5	120 x 120	66 / 35	1		L09	4
LAM 120x120 SK	8610140063	Silver	0.5	120 x 120	66 / 35	1		L08	4
LAM 120x120 SKS	8610140247	Yellow matte	1	120 x 120	66 / 35	1		ND1	4

Material properties



Aluminium painted (ALU) |

Adhesive properties



467, 5016 SK adhesive film with adhesive, SKS adhesive film with foam adhesive

Thermal properties



Temperature / temperature range -20 °C – 80 °C / short term: 120 °C

Fire properties



Fire classification V0

General technical data



° Standard product, available from stock

Labelling technology



Laser