





ALU Rectangular without radius



Product information

The ALU labelling material, in mat size 300x200 mm, has been developed especially for engraving.

- Coloured anodised aluminium material
- Available with self-adhesive foil / adhesive foil
- Individual or prefab labels
- Temperature range up to approx. 200 °C
- Thickness: 1.0 mm
- marking technique: Engraving

Material thickness mm: 1

Information, conformities and approvals



Article	Order No.	Color	Label size mm	Quantity per mat	Software Article	PU pcs.
Without corner radius; with self-adhesive foil						
ALU 15x40 SK ¹⁾	8604200013	Blue anodized	15 x 40	100	A4J	100
ALU 15x200 SK ¹⁾	8604200002	Silver anodized	15 x 200	20	2K	20
ALU 20x40 SK ¹⁾	8604200008	Black anodized	20 x 40	75	A1B	75
ALU 29x8 SK ¹⁾	8604206013	Black anodized	29 x 8	250	3Q	250
ALU 30x80 SK ¹⁾	8604200012	Red anodized	30 x 80	20	A3J	20
ALU 30x80 SK ¹⁾	8604200011	Blue anodized	30 x 80	20	A2J	20
ALU 40x20 SK ¹⁾	8604200006	Silver anodized	40 x 20	70	A29	70
ALU 40x160 SK ¹⁾	8604200009	Silver anodized	40 x 160	7	A4H	7
ALU 47x47 SK ¹⁾	8604200004	Silver anodized	47 x 47	24	5D	24
ALU 60x160 SK ¹⁾	8604200010	Silver anodized	60 x 160	5	A5H	5



ALU Rectangular without radius

Article	Order No.	Color	Label size mm	Quantity per mat	Software Article	PU pcs.
ALU 70x35 SK ¹⁾	8604200003	Silver anodized	70 x 35	20	3R	20
ALU 75x25 SK ¹⁾	8604200001	Silver anodized	75 x 25	32	69	32
ALU 80x55 SK ¹⁾	8604200005	Black anodized	80 x 55	9	5F	9
ALU 100x50 SK ¹⁾	8604200007	Blue anodized	100 x 50	12	D46	12
Without corner radius; with adhesive foil						
ALU 25x10 HF ¹⁾	8604206007	Silver anodized	25 x 10	240	295	240
ALU 25x10 HF ¹⁾	8604206014	Black anodized	25 x 10	240	3Z	240
ALU 25x16 HF ¹⁾	8604206021	Black anodized	25 x 16	144	J14	144
ALU 29x8 HF ¹⁾	8604206012	Black anodized	29 x 8	250	3P	250
ALU 29x9 HF ¹⁾	8604206011	Silver anodized	29 x 9	220	20	220
ALU 30x20 HF ¹⁾	8604206006	Silver anodized	30 x 20	100	280	100
ALU 40x170 HF ¹⁾	8604206010	Black anodized	40 x 170	7	2I	7
ALU 45x25 HF ¹⁾	8604206008	Black anodized	45 x 25	48	841	48
ALU 52x21 HF ¹⁾	8604206016	Silver anodized	52 x 21	45	A32	45
ALU 80x10 HF ¹⁾	8604206026	Silver anodized	80 x 10	60	K81	60
ALU 80x30 HF ¹⁾	8604206015	Silver anodized	80 x 30	18	4W	18
ALU 80x49 HF ¹⁾	8604206022	Silver anodized	80 x 49	12	J35	12
ALU 100x40 HF ¹⁾	8604206018	Black anodized	100 x 40	15	D04	15
ALU 100x100 HF ¹⁾	8604206017	Black anodized	100 x 100	6	D03	6
ALU 101.6x152.4 HF ¹⁾	8604206019	Silver anodized	101.6 x 152.4	2	G36	2



ALU Rectangular without radius

Article	Order No.	Color	Label size mm	Quantity per mat	Software Article	PU pcs.
ALU 120x20 HF ¹⁾	8604206025	Silver anodized	120 x 20	20	K75	20
ALU 120x50 HF ¹⁾	8604206027	Silver anodized	120 x 50	8	L99	8
ALU 140x40 HF ¹⁾	8604206009	Black anodized	140 x 40	10	2H	10
ALU 150x200 HF ¹⁾	8604206024	Silver anodized	150 x 200	2	K26	2
ALU 260x40 HF ¹⁾	8604206004	Black anodized	260 x 40	5	905	5
ALU 297x420 HF ¹⁾	8604206020	Silver anodized	297 x 420	1	I85	1
ALU 300x200 HF (E) ¹⁾	8604206005	Silver anodized	300 x 200	1	AL1	1
ALU 300x200 HF (E) ¹⁾	8604206002	Black anodized	300 x 200	1	AL1	1
ALU 300x200 HF (E) ¹⁾	8604206023	Silver / Black	300 x 200	1	AL1	1
Without corner radius; with high-strength adhesive foam foil						
ALU 26.5x18 SKS ¹⁾	8604202001	Black anodized	26.5 x 18	121	K27	121
ALU 40x40 SKS ¹⁾	8604202002	Silver anodized	40 x 40	35	K83	35
¹⁾ Other sizes available on request						



ALU Rectangular without radius

Material properties



Aluminium anodised
(ALU)

Adhesive properties



467 SK adhesive film with
adhesive

Thermal properties



Temperature / temperature
range -40 °C – 140 °C

Fire properties



Fire classification V0

General technical data



Single-line and multi-line
labelling

Assembly method



Adhesive system

Labelling technology



Engraving